Prepared by:
Derrel Graham
FREIGHTLINER OF MONROE
6800 FRONTAGE ROAD
MONROE, LA 71202
Phone: 318-345-5000

SPECIFICATION PROPOSAL

	Data Code	Description	Weight Front	Weight Rear	Retail Price
Elem					
1116-52-10 Part 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PRL-18M	M2 PRL-18M (EFF:04/17/18)			STD
	ersion et la de				310
					and the second
	DRL-031	SPECPRO21 DATA RELEASE VER 031	er oo a waaan oo a	avia-atira ia	N/C
			The state of the s		
	001-172	M2 106 CONVENTIONAL CHASSIS	5,759	3,503	
	004-218	2018 MODEL YEAR SPECIFIED			N/C
	002-004	SET BACK AXLE - TRUCK			STD
	019-002	STRAIGHT TRUCK PROVISION			STD
Data Sandanan Control	003-001	LH PRIMARY STEERING LOCATION			STD
	AA1-002	TRUCK CONFIGURATION			STD
	AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
	A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
	A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
	AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
	AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
	AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
	AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
	995-091	MEDIUM TRUCK WARRANTY			STD
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 10000.0 lbs			
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD: 22000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 'lbs	abooo#	CHM	1
					and the second



Prepared by: Derrel Graham FREIGHTLINER OF MONROE 6800 FRONTAGE ROAD MONROE, LA 71202 Phone: 318-345-5000

	Data Code	Description	Weight Front	Weight Rear	Retail Price
•	AA3-004	END DUMP BODY			N/C
	AF3-1E8	DEALERS TRUCK EQUIPMENT CO., INC.			N/C
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
	101-21P	CUM B6.7 220 HP @ 2400 RPM, 2600 GOV, 520 LB/FT @ 1600 RPM			
accertification and	79A-065	65 MPH ROAD SPEED LIMIT	E 1516 1500 87 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 11-11-11 A 43-11 A 44-11 A	N/C
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
	79K-011	PTO MODE ENGINE RPM LIMIT - 1400 RPM			N/C
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
	79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM		•	N/C
	798-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
	80G-002	PTO MINIMUM RPM - 700			N/C
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Azer	3. Jan. 19				
	99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION			STD
	99D-010	NO 2008 CARB EMISSION CERTIFICATION			N/C
	13E-001	STANDARD OIL PAN		•	STD
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
	133-004	ONE PIECE VALVE COVER			STD
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
	292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES			DTS
	290-017	BATTERY BOX FRAME MOUNTED			STD
	281-001	STANDARD BATTERY JUMPERS			STD
	282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		•	STD
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	•	•	STD
	289-001	NON-POLISHED BATTERY BOX COVER			STD

Application Version 10.1.105 Data Version PRL-18M.031 4 YARD W FULL AIR BRAKES



Prepared by: Derrel Graham FREIGHTLINER OF MONROE 6800 FRONTAGE ROAD MONROE, LA 71202 Phone: 318-345-5000

Data Code	Description	Weight Front	Weight Rear	Retail Price
87P-998	NO CAB AUXILIARY POWER WIRING			STD
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2	,	\$92.00
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
131-013	AIR COMPRESSOR DISCHARGE LINE	•		STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	35	10	\$105.00
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			\$17.00
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		,	STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
273-004	BORG WARNER VISCOUS FAN DRIVE			(\$185.00)
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-001	FULL FLOW OIL FILTER			STD
266-100	700 SQUARE INCH ALUMINUM RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			STD

FREIGHTLINER



Prepared by:
Derrel Graham
FREIGHTLINER OF MONROE
6800 FRONTAGE ROAD
MONROE, LA 71202
Phone: 318-345-5000

Data Code	Description	Weight Front	Weight Rear	Retail Price
11-12-12-12-12-12-12-12-12-12-12-12-12-1				
342-1MN	ALLISON 2500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
できると				
343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS			STD
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES	,		N/C
84C-007	PRIMARY MODE GEARS, 6 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE			STD
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB			*****
362-1BU	CUSTOMER INSTALLED CHELSEA 230/231/236 SERIES PTO			N/C

Application Version 10.1.105 Data Version PRL-18M.031 4 YARD W FULL AIR BRAKES



12/05/2018 3:12 PM

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		•	N/C
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
	345-072	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITHOUT PARK BRAKE POSITION			STD
	97G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY			STD
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
	346-001	TRANSMISSION OIL CHECK AND FILL			STD
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD
	400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			N/C
	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			STD
	403-002	NON-ASBESTOS FRONT BRAKE LINING		•	STD
	419-023	CONMET CAST IRON FRONT BRAKE DRUMS			STD
	409-006	FRONT OIL SEALS			STD
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
	536-050	TRW THP-60 POWER STEERING			STD
	539-003	POWER STEERING PUMP			STD
	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
	40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE			
	210210				Tall of Improve the State of
	620-062	10,000# TAPERLEAF FRONT SUSPENSION			
	619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
	410-001	FRONT SHOCK ABSORBERS			STD
A CAN DESTRUCTION	420-1GK	DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE		30	\$6°£.00
	421-588	5.88 REAR AXLE RATIO			N/C



Prepared by:
Derrei Graham
FREIGHTLINER OF MONROE
6800 FRONTAGE ROAD
MONROE, LA 71202
Phone: 318-345-5000

	Data Code	Description	Weight Front	Weight Rear	Retail Price
·	424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
	386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-20	-20	
	423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
	433-002	NON-ASBESTOS REAR BRAKE LINING			STD
	434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			STD
	451-023	CONMET CAST IRON REAR BRAKE DRUMS			STD
	440-006	REAR OIL SEALS			STD
	426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			STD
	428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			STD
	41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			
	622-216	AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE		180	
	621-007	AIRLINER HIGH POSITION RIDE HEIGHT			STD
	431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			STD
	888-051	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITHOUT GAUGE	47 · _		- <u>199</u>
	87D-001	REAR AIR SUSPENSION DUMP VALVE AUTOFILL WITH IGNITION OFF OR >5 MPH WITH INDICATOR LIGHT			N/C
	910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			STD
	623-002	TRANSVERSE CONTROL RODS			STD
	439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)			STD
	018-002	AIR BRAKE PACKAGE			STD
	490-100	WABCO 4S/4M ABS			STD
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
	904-001	FIBER BRAID PARKING BRAKE HOSE			STD
	412-001	STANDARD BRAKE SYSTEM VALVES			STD

Application Version 10.1.105 Data Version PRL-18M.031 4 YARD W FULL AIR BRAKES



12/05/2018 3:12 PM

Page 11 of 19

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
	413-002	STD U.S. FRONT BRAKE VALVE			STD
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
	480-047	BW AD-IS (DRM) BRAKE LINE AIR DRYER WITH SHIELD, HEATER AND INTEGRAL RESERVOIR			\$42.00
	479-014	AIR DRYER RESERVOIR MOUNTED	,		, N/C
	460-093	STEEL AIR BRAKE RESERVOIRS; CUSTOMER ACCEPTS TANKS MOUNTED PERPENDICULAR TO RAIL	10	· And	
	477-011	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)		د	N/C
	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT		# + 4 <u> </u>	STD
	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
eserve 2300 - 2510					
	545-380	3800MM (150 INCH) WHEELBASE		F)	₽Ñ/C
*	546-1AX	5/16X2-1/2 3X10-1/8 INCH STEEL FRAME (7.94MMX257.2MM/0.312X10.13 INCH) 50KSI	12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -	30	18:9(\ <u>\</u> \\)0:
	552-030	1600MM (63 INCH) REAR FRAME OVERHANG			STD
	55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		•	N/C
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 84.05 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 81.05 in			
	AE4-99D	CALC'D FRAME LENGTH - OVERALL: 251.57			
	AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 84.45 in			
	FSS-OLH	CALCULATED FRAME SPACE LH SIDE: 17.42 in			N/C
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 155.38 in		•	N/C
	553-001	SQUARE END OF FRAME		•	STD
	550-001	FRONT CLOSING CROSSMEMBER			STD
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		ř	STD
	572-001	STANDARD REARMOST CROSSMEMBER			STD
	565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	. N/C




ī	Data Code	Description	Weight Front	Weight Rear	Retail Price
	556-1AN	THREE-PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS			STD
	558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		•
•	57 4- 001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
į	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
	204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	40	10 .	,
:	218-005	RECTANGULAR FUEL TANK(S)			STD
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
	212-007	FUEL TANK(S) FORWARD			STD
	664-001	PLAIN STEP FINISH			STD
	205-001	FUEL TANK CAP(S)			STD
	122-1J2	DETROIT FUELWATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		STD
	216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
	11F-998	NO NATURAL GAS VEHICLE FUEL TANK VENT LINE/STACK			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
this is a successful to	093-2G7	BRIDGESTONE ECOPIA R268 295/75R22.5 14 PLY RADIAL FRONT TIRES	10		· ·
	094-2ED	BRIDGESTONE M770 295/75R22.5 14 PLY RADIAL REAR TIRES		88	and the second s
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
	502-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 6.19 INSET 5-HAND STEEL DISC FRONT WHEELS	18		
	505-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		36	. (



	Data Code	Description	Weight Front	Weight Rear	Retail Price
	496-011	FRONT WHEEL MOUNTING NUTS			STD
	497-011	REAR WHEEL MOUNTING NUTS			STD
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	650-008	AIR CAB MOUNTING			
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			•
	678-001	LH AND RH GRAB HANDLES			STD
	646-009	PAINTED PLASTIC GRILLE			STD
	65X-001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE			STD
	644-004	FIBERGLASS HOOD			STD
	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4		-
	726-001	SINGLE ELECTRIC HORN			STD
	728-001	SINGLE HORN SHIELD			N/C
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
	312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
	302-001	(5) AMBER MARKER LIGHTS			STD
	294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		•	STD
	300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
	744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS			STD
	797-001	DOOR MOUNTED MIRRORS			STD
	796-001	102 INCH EQUIPMENT WIDTH			STD
	743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			
	74A-001	RH DOWN VIEW MIRROR			
	729-001	STANDARD SIDE/REAR REFLECTORS			STD
	768-043	63X14 INCH TINTED REAR WINDOW			STD
	661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
	654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	4		
	663-013	TINTED WINDSHIELD			STD




	Data Code	Description	Weight Front	Weight Rear	Retail Price
	659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD
A STATE OF THE STA					
	707-1AK	OPAL GRAY VINYL INTERIOR			N/C
	706-013	MOLDED PLASTIC DOOR PANEL			STD
	708-013	MOLDED PLASTIC DOOR PANEL			STD
	772-006	BLACK MATS WITH SINGLE INSULATION			STD
	785-001	DASH MOUNTED ASH TRAYS AND LIGHTER		•	•
	691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
	694-010	IN DASH STORAGE BIN			STD
	742-007	(2) CUP HOLDERS LH AND RH DASH			STD
	680-006	GRAY/CHARCOAL FLAT DASH			STD
	720-003	5 LB. FIRE EXTINGUISHER	10	•	
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
	701-001	STANDARD HVAC DUCTING			STD
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
	170-015	STANDARD HEATER PLUMBING			STD
	130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR	•		STD
	702-002	BINARY CONTROL, R-134A			STD
	739-033	STANDARD INSULATION		•	STD
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
	324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			STD
	655-005	LH AND RH ELECTRIC DOOR LOCKS			
	722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		
	756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		Ç
	760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20		
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
	758-036	VINYL WITH VINYL INSERT DRIVER SEAT			STD
	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			STD
	763-101	BLACK SEAT BELTS			STD





Data Code	Description	Weight Front	Weight Rear	Retail Price
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSÉNGER INTERIOR SUN VISORS			STD
732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM	•		STD
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		3 ·	
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		•	STD
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT			
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS			N/C
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
746-115	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939	10		
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAB			N/C





	Data Code	Description	Weight Front	Weight Rear	Retail Price
7	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		···	N/C
8	310-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
8	317-001	STANDARD VEHICLE SPEED SENSOR			STD
8	312-001	ELECTRONIC 3000 RPM TACHOMETER		•	STD
1	162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
S	329-007	ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT WIRED TO JUNCTION BLOCK ON FRAME WITH MARKER LIGHT CIRCUIT, LABEL OPT			,
8	336-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
e	860-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
3	304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
8	382-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
2	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN HANDLE			STD
2	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
0	65-000	PAINT: ONE SOLID COLOR			STD
9	80-5F6	CAB COLOR A: L0006EB WHITE ELITE BC	*(************************************		STD
9	86-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
9	62-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
9	66-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
9	64-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD
9	63-003	STANDARD E COAT/UNDERCOATING			STD
9	96-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		Physics Programmes	STD
The state of the s	Mark Strain	Constitution of the second	tan mangan principal kanala	深层温度	

